



FUN FACT!

3 Stages
Tri-color indicator lights

TWIN HIGHFLOW AIR™ HYDRAULIC PUMP



HIGHFLOW™ AIR

The HIGHFLOW AIR is a super high-flow, 770 cu. in. heavy duty Power Pack for hydraulic torque tools and for all 10,000 psi equipment. It is supplied with built in air filter/lubricator and has a reservoir of 4.4 Liters. (Also available with a 7.75 liter reservoir.)

Disclaimer: AMG Bolting Solutions is not a manufacturer of any brands represented with this catalog. We are strictly a distributor of the selected products.

DURABILITY, PORTABILITY AND SPEED ... OUR TRADE MARK



This hydraulic torque pump gives the fastener tool operator the required power source to reach 10,000 ft. lb. and up without compromising speed the speed of a hydraulic torque wrench.

Air Consumption
400 - 1,000 kPa / 120 l/sec.



Reservoir Capacity
5 gal.


The Twin Highflow Air is designed with a 5 gallon reservoir.



Manifold
4 Ports

This means that the hydraulic pump holds enough oil to power up to four large hydraulic torque wrench tools at one time.

Now, that's power!



Ordering more than 1 item?
Call [800-709-2930](tel:800-709-2930) for a customized quote now!



Protective Caging
Included and fitted to your pump



Max Flow Rate
1500 cu. in/min



Gauge
0-10K PSI (+/-1% Acc.)



Weight
44 kg

THFA-AMG

Twin HighFlow Air

German Engineered - Air powered dual hydraulic pump

\$12,180.00



Included with ALL Hydraulic Pump Orders placed with AMG Bolting Solutions:

- 15 foot hydraulic hose, pre-filled with Azolla hydraulic oil.
- 1 Gallon of hydraulic oil.
- And, ½ lbs of Air-Roasted Nuts & Bolts coffee designed to *power you up before* operating your hydraulic torque tools.



TWIN HIGHFLOW AIR
10,000 psi/700 bar
1500 cu. in
98 lbs., 44 kg
20/16/17", 510/400/440mm

Ordering more than 1 item?
Call 800-709-2930 for a customized quote now!

For over 30 years...

With a background spanning well over 30 years our manufacturer as evolved to address the need for high quality equipment at an affordable price, these are the workhorses of the torque world. No frills, no fuss, just get the job done all day everyday.

- Accuracy
- Reliability
- Outstanding weight to torque ratio
- Lower cost and reduced maintenance
- Anti-lock tools with no need for an anti-jam mechanism
- Internal ratchet prevents significant roll back with each cycle which results in a faster tool

Warranty:

Our manufacturer's equipment is engineered to the latest technological standards and is backed by our exclusive 13-month warranty. In the event of a product failure, we will either fix or replace your unit. Free loaner tools will be provided in case of a product failure within the warranty period.

Calibration:

Each new tool comes with a certificate of calibration to ensure proper torque output according to factory certified torque output values. Utilizing one of the industries top calibration machines with state of the art torque transducers, we can help calibrate your existing hydraulic torque wrenches as well, regardless of the brand or make. The internal moving parts on any hydraulic torque wrench can cause friction which can lead to distortion and an incorrect torque value. Frequently calibrating your tools will provide the necessary service and ensure they are working correctly and efficiently.

If you have any questions, contact us at agross@amgboltingsolutions.com.





FREE ON-SITE DEMOS & TRAINING

Contact Alan Gross

(800) 709-2930

agross@amgboltingsolutions.com

amgboltingsolutions.com

POWER GENERATION, PETRO-CHEMICAL, PIPELINE, MINING, WIND, RAILWAY & MILITARY, SHIPBUILDING, HEAVY EQUIPMENT, NUCLEAR

